Star Nail International

MATERIAL SAFETY DATA SHEET

	Page 1 of 4 Chemical Product and Company Identification		
Product Name:	Star Nail Antibacterial Cleansing Spray	Chemical Family: Solvent	
Manufacturer/Distributor/Importers:	Star Nail International, Inc. 29120 Avenue Paine Valencia, CA 91355		
Emergency Phone:	Date prepa	ared: 01/02/2014	
Paison Control Contor Cham Tal: (80	0) 255 3054		

Poison Control Center - Chem Tel: (800) 255-3954 Poison Control Center -Chem Tel : (813) 248-0573

SECTION II		Composition, Information or Ingredients			
		Exposure Limits in Air			
Chemical Identity	%	CAS Number	OSHA (PEL)	ACGIH (TLV)	Other
Hazardous Materials:					
Isopropyl Alcohol	90-100	67-63-0	400 ppm	400 ppm	500 ppm
Blue 1 (CI 42090)	<1%	3844-45-9	NE	NE	
SECTION III		Haza	rd Identificatio	on	
HMIS Rating Scale:	0 = Minimal	1 = Slight	2 = Moderate	4 = Severe	
This Products Rating:	Health: 2	Flammability: 3	Reactivity: 1		
Material Appearance:	Clear light liquid				
Primary Route of Entry	Inhalation X	Skin X	Ingestion X	•	•
Ingredient(s) Listed as	Cancer Causing /	Agents?:			
	NTP - no	LARC Mono	graphs - no	OSHA - no	
Target Organs Affected	I: Respiratory and	Nervous systems	i.		
Short Term Effects: Inhalation: may c	ause dizziness if i	nhaled for a prolo	nged time		
Eyes: may cause stingir	ng if product gets in	nto open eyes.			
Skin: may cause dry ski	n if exposed repea	atedly and over a	prolonged perio	d of time.	
Signs and Symptoms o	f Over-Exposure: piratory tract and r				
Medical Conditions Ger			•	· · ·	
MSDS				Pa	age 2 of 4

SECTION IV

First Aid Measures

Eye Contact: Flush eyes with large amounts of warm water.

Skin Contact: Thoroughly wash with soap and water.

Inhalation: If dizziness occurs, remove person to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: If swallowed , do not induce vomiting: transport to nearest medical facility. If vomiting occurs spontaneously, keep head below hips to prevent aspirations, transport to nearest medical facility.

SECTION V Fire Fighting Measures

Flash Point: 12 C (53 F) TCC

Flammable Limits in Air % - LEL: 2, UEL: 12

Extinguishing Media:	Water Fog X	Dry Chemical X
	Carbon Dioxide _X	Foam _X

Fire Fighting Procedure: Dry Chemical, foam, Carbon Dioxide or Water spray.

SECTION VI	Accidental Release Measures		
Spill & Leak Proce	dures: Collect with absorbent material and place into trash container. Finish cleaning by spreading		
	water on contaminated surface. Dispose, according to local & regional authority requirements		
SECTION VII	Handling and Storage		
Handling:	Use a fan or exhaust when handling open containers. Do not store in aluminum or equipment		
Storage:	Store at room temperature. Keep containers closed when not in use. Temperatures above 120F(49C)		
SECTION VIII	Exposure Controls and Personal Protection		

Use a fan or exhaust when working with open containers. Keep away from Heat and open flame.

SECTION IX	Physical and Chemical Properties		
Water Solubility: Soluble	Specific Gravity: (H2O = 1): 0.79 @ 20C/4C		
Appearance: Clear	Boiling Range: 49 °C / 120 F		
Physical Form: liquid	Melting Point: n/a		
%/Wt. Volatiles: @21C(69F):100 %	Vapor Pressure (mm Hg): 33 @ 21C / 69 F		
pH: n/a	Vapor Density: (Air = 1) 2.1 @ 21 C / 69 F		
Odor: Solvent & mild odor	Evaporation Rate: (BuAc=1) 1.4 (Ether =1)		
	Flashpoint:(MEK) -12 C (53 F) TCC		

MSDS	page 3 of 4
SECTION X	Stability and Reactivity
Chemical Stability:	This product is stable under the recommended storage conditions.
Conditions to avoid:	Heat, Open flame, and sparks form ignition sources. Storage in temperatures above 35 C. Do not store in aluminum equipment at temperatures above 120 F (49C)

Contact with Materials to avoid: strong oxidizing agents.

Hazardous Decomposition Products: carbon monoxide and unidentified organic compounds may be formed during combustion.

Hazardous Polymerization: will not occur.

SECTION XI	Toxicological Information			
	LD50(Oral Rat)	LC50 (Inhal. Rat)		
	5840 mg/kg	12000 ppm / 8 hours		
Ingestion:	Aspiration into lungs whe	n swallowed or vomited may caus	se chemical pneumonitis.	
Eyes:		mporary eye irritant if it gets into t	•	
Dermal:	May cause dry skin if exposed repeatedly and over a prolonged time.			
Inhalation	May cause dizziness, headache or nausea if exposed for a prolonged time			
Overexposure:	all of the above			
Chronic Effects:	n/a			
Carcinogenity:	Not listed as a carcinoger	n by IARC, NTP, OSHA, or ACGI	4	
Target Organs:	n/a	- , , , ,		
	Ecological Information			
Ecotoxicity	none			
SECTION XIII		Disposal Considerations		
		Disposal considerations		
Waste Disposal:	Dispose of absorbed material in accordance with local, state and federal regulations.			
SECTION XIV	Transport Information			
Road Transport:		Maritime Transport:		
Class:	3	UN Number:	1219	
Packaging Group:	111	Class:	3	
Label:	3	Packaging Group:	II	
UN Number:	1219	Label:	3	
		Flash Point:	12 C, Method TCC	
Air Transport:				
UN No.	ID8000			
Class:	3			
Packaging Group:	II			
Packaging instr.:	910 (Passenger)			
MODO				
MSDS			page 4 of 4	

Symbol:FIndication of Danger:FlammableRisk Phrases:FlammableDOT Shipping Name:Isopropanol



SECTION XVI

Other Information

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interoperation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

These Products Are Designed and Formulated for Professional Salon Use. They Must be Used with Adequate Ventilation and in Accordance with Manufacturers Instructions.

Abbreviations Used:

NE = Not Established NKn = Not Known n/a = Not Applicable C = Ceiling Limit TS = Trade Secret EST = Estimated N/DA = No Data Available NTP = National Toxicology Program IRAC = International Agency for Research on Cancer CHEMTREC = Chemical Transportation Emergency Center OSHA = Occupational Safety and Health Administration IPA = Isopropyl Alcohol (Rubbing Alcohol) mm Hg = Millimeters of Mercury PEL = Permissible Exposure Limit TLV = Threshold Limit Value STEL = Short Term Exposure Limit NEGL = Negligible NF = None Found CAS = Chemical Abstract Service Number NR = Not Required